



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/072,145	02/07/2002	Guy E. Averett	ONS00317	1448

7590

10/15/2003

ON Semiconductor
Patent Administration Dept - MD A700
P.O. Box 62890
Phoenix, AZ 85082-2890

EXAMINER

MAGEE, THOMAS J

ART UNIT	PAPER NUMBER
----------	--------------

2811

DATE MAILED: 10/15/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/072,145

Applicant(s)

AVERETT ET AL.

Examiner

Thomas J. Magee

Art Unit

2811

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 16 July 2003.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-11 and 26-33 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-11 and 26-33 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on _____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
* See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892) 4) ☐ Interview Summary (PTO-413) Paper No(s). _____
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948) 5) ☐ Notice of Informal Patent Application (PTO-152)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____ 6) ☐ Other: _____

DETAILED ACTION

Claim Rejections – 35 U.S.C. 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office Action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 1, 2, 5, 6, and 8 – 11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lur et al. '041 (US 5,640,041).

3. Regarding Claim 1, Lur et al. disclose a semiconductor device formed in a monocrystalline silicon substrate (Col. 3, line 67) where a second recessed region (22) (See Figure 6) is formed within a first recessed region (15,16) etched from a deposited silicon dioxide layer (Col. 4, lines 53 - 55) and the surface of trenches covered with silicon dioxide (CVD) (cap layer) to seal the "voids" or trenches (Col. 3, lines 10 – 15). The walls of trenches are covered with silicon dioxide (25) (See Figure 10).

Lur et al. '041 do not disclose that the second dielectric material (SiO₂) is thermally grown. However, for this application, a thermally grown and CVD silicon dioxide layer are functionally equivalent in terms of a sealant atop trenches.

4. Regarding Claim 2, Lur et al. disclose that an active device is formed in an active region (See Figure 14) with a gate dielectric (4), gate electrode (5), and doped regions

(52,54) (n+,n-) at the peripheral edges.

5. Regarding Claim 5, Lur et al. disclose (Col. 3, line 67) that the substrate is silicon.

6. Regarding Claim 6, Lur et al. disclose (Col. 4, lines 1 – 4) that the dielectric material is silicon dioxide.

7. Regarding Claim 8, as discussed previously, Lur et al. do not disclose that the second silicon dioxide layer is thermally grown, but rather formed by CVD. For this application, the layers are functionally equivalent.

8. Regarding Claim 9, as discussed previously, Lur et al. disclose that the dielectric layer forms a cap layer.

9. Regarding Claim 10, Lur et al. disclose that the first dielectric layer is formed by CVD (Col. 4, lines 1 – 4).

10. Regarding Claim 11, Lur et al disclose that the depth of trenches in the second recessed region for the narrow trenches (17) (See Figure 6) is 20,000 Angstroms (2um) (Col. 4, lines 39 – 40), which is consistent with the depth recited in the instant application, subject to optimization for a particular device application.

11. Claims 3 and 4 are rejected under 35 U.S.C. 103(a) as unpatentable over Lur et al. as applied to Claims 1, 2, 5, 6, and 8 – 11 above, and further in view of Zekeriya et al. (US 2003/0030107 A1).

Art Unit: 2811

Lur et al. do not disclose the presence of a passive device or component formed over the second recessed region. However, Zekeriva et al. disclose the formation of a resistor (106) (Figure 13) on a dielectric layer (104) with a metal plug (126") for electrical contact. Hence it would have been obvious at the time of the invention to one of ordinary skill in the art to use the technique of Zekeriva et al. to form a resistor on the overlying dielectric layer in Lur et al. to obtain a component with reduced parasitic capacitance owing to the large volume of air pockets and low permittivity of the underlying region.

12. Claim 7 is rejected under 35 U.S.C. 103(a) as being unpatentable over Lur et al., as applied to Claims 1, 2, 5, 6, and 8 – 11 above, and further in view of Holbrook et al. (US 6,495,853 B1).

Lur et al. do not disclose the presence of a third dielectric material deposited on the walls of trenches. However, it is routine to form a liner layer on the walls and Holbrook et al. disclose (422) (Figure 6) the formation of a silicon nitride layer (Col. 6, lines 63 – 67) on the walls of the trench. It would have been obvious to one of ordinary skill in the art at the time of the invention to combine Holbrook et al. with Lur et al. to provide a liner layer that would reduce sharp edges and roughness of subsequent deposited layers (Col. 6, lines 63 – 67).

13. Claims 26 – 29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lur et al. in view of Wolf ("Silicon Processing for the VLSI Era: Volume 2 – Process Integration," Lattice Press, Sunset Beach, CA, (1990), pp.196 – 197).

14. Regarding Claim 26, Lur et al. disclose a semiconductor device formed in a

monocrystalline silicon substrate (Col. 3, line 67) where a second recessed region (22) (See Figure 6) is formed within a first recessed region (15,16) etched from a deposited dielectric material (12, Figure 5) with a semiconductor layer (14) overlying the dielectric layer. Further Lur et al. disclose that the surface of trenches is covered with silicon dioxide (CVD) (cap layer) to seal the created "voids" or trenches (Col. 3, lines 10 – 15) formed by a deposition shadowing effect (Wolf, p.197, Figure 4-8). The walls of trenches are covered with silicon dioxide (25) (See Figure 10) and the structure totally sealed. Lur et al. do not disclose that the second dielectric material (SiO₂) is thermally grown. However, for this application, a thermally grown and CVD silicon dioxide layer are functionally equivalent in terms of a sealant atop trenches.

15. Regarding Claim 27, Lur et al. disclose (14) (Figure 5) that the semiconductor layer is deposited polysilicon.

16. Regarding Claim 28, Lur et al. do not disclose that the second dielectric material is thermally grown silicon dioxide, but rather by CVD. As mentioned previously, for this application, a thermally grown and a CVD layer are functionally equivalent.

17. Regarding Claim 29, Lur et al. disclose that an active device is formed in an active region (See Figure 14) with a gate dielectric (4), gate electrode (5), and doped regions (52,54) (n⁺,n⁻) at the peripheral edges.

18. Claims 30 and 31 are rejected under 35 103(a) as being unpatentable over Lur et al., in view of Wolf, as applied to Claims 26 – 29, and further in view of Zekeriya et al.

Art Unit: 2811

Lur et al. do not disclose the presence of a passive device or component formed over the second recessed region. However, Zekeriva et al. disclose the formation of a resistor (106) (Figure 13) on a dielectric layer (104) with a metal plug (126") for electrical contact. Hence it would have been obvious at the time of the invention to one of ordinary skill in the art to use the technique of Zekeriva et al. to form a resistor on the overlying dielectric layer in Lur et al. to obtain a component with reduced parasitic capacitance owing to the large volume of air pockets and low permittivity of the underlying region.

19. Claims 32 and 33 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lur et al., as applied to Claims 26 – 29 above, and further in view of Holbrook et al.

Lur et al. do not disclose the presence of a third dielectric material deposited on the walls of trenches. However, it is routine to form a liner layer on the walls and Holbrook et al. disclose (422) (Figure 6) the formation of a silicon nitride layer (Col. 6, lines 63 – 67) on the walls of the trench. It would have been obvious to one of ordinary skill in the art at the time of the invention to combine Holbrook et al. with Lur et al. to provide a liner layer that would reduce sharp edges and roughness of subsequent deposited layers (Col. 6, lines 63 – 67).

Response to Arguments

20. Applicant's arguments in Letter No. 10 of July 16, 2003 have been carefully considered but they have not been found to be persuasive. In particular, Applicant has

Art Unit: 2811

argued that the thermally grown oxide recited in the instant application is more dense and structurally stronger than the CVD material of the reference. Applicant has not presented definitive proof that devices made from the oxide in the reference differ substantially from those of the instant application. Statements have been more speculative than probative and the rejections stand, as stated.

Conclusions

21. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the Examiner should be directed to **Thomas Magee**, whose telephone number is **(703) 305 5396**. The Examiner can normally be reached on Monday through Friday from 8:30AM to 5:00PM (EST). If attempts to reach the Examiner by telephone are unsuccessful, the

Art Unit: 2811

examiner's supervisor, **Tom Thomas**, can be reached on **(703) 308-2772**.. The fax number for the organization where this application or proceeding is assigned is **(703) 872-9306**.

Thomas Magee
September 30, 2003

A handwritten signature in black ink, appearing to read 'A. Nadav', is positioned above the printed name of the Primary Patent Examiner.

Ori Nadav
Primary Patent
Examiner